

## **POULTRY**

**Slaughtered under Federal Inspection and Poultry  
Used in Canning and Other Processed Foods  
June 1967**

August 3, 1967

Inspected Poultry - A total of 963,847,000 pounds live weight (chickens, turkeys, and ducks combined) were inspected for slaughter during June 1967 under the Poultry Inspection Act carried on by the U. S. D. A. This was 6 percent more than the previous month and 9 percent more than June 1966.

The number of head and pounds (live weight) inspected by classes in June 1967 were young chickens, 218,785,000 head, 764,173,000 pounds; mature chickens, 13,755,000 head, 62,771,000 pounds; fryer-roaster turkeys, 1,162,000 head, 10,266,000 pounds; young turkeys, 5,964,000 head, 103,891,000 pounds; old turkeys, 735,000 head, 14,500,000 pounds; and ducks, 1,284,000 head, 8,246,000 pounds.

Certified Poultry - The quantity of poultry certified as wholesome in June 1967 totaled 697,375,000 pounds ready-to-cook weight of which 544,045,000 pounds were chilled and 153,330,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 547,999,000 pounds; mature chickens, 40,762,000 pounds; fryer-roaster turkeys, 7,895,000 pounds; young turkeys, 82,975,000 pounds; old turkeys, 11,481,000 pounds; ducks 5,928,000 pounds; and other poultry, 335,000 pounds.

Canned and Processed Poultry - Poultry inspected and used for canning and other processed food in June 1967 totaled 84,489,000 pounds ready-to-cook weight, compared with 71,923,000 pounds in June 1966. The quantity used in June 1967 consisted of 22,547,000 pounds of young chickens, 29,098,000 pounds of mature chickens, 26,670,000 pounds of turkeys, and 6,174,000 pounds of other poultry.

Cut-up Poultry - Poultry cut-up and packaged in Federally inspected plants during June 1967 totaled 110,404,000 pounds ready-to-cook weight compared with 109,675,000 pounds in June 1966. The breakdown by classes for June 1967 consisted of 100,732,000 pounds of young chickens, 571,000 pounds of mature chickens, 9,048,000 pounds of turkeys, and 53,000 pounds of other poultry.

Ante-mortem condemnations amounted to 3,187,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.31 percent; mature chickens, 0.84 percent; fryer-roaster turkeys, 0.25 percent; young turkeys, 0.20 percent; old turkeys, 0.22 percent; and ducks, 0.02 percent.

Post-mortem condemnations in June 1967 amounted to 30,103,000 pounds (NYD weight) for all types of poultry. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 3.70 percent; mature chickens, 4.16 percent; fryer-roaster turkeys, 1.75 percent; young turkeys, 1.92 percent; old turkeys, 2.94 percent; and ducks, 1.15 percent.



Poultry: Condemnations of poultry slaughtered under Federal Inspection, June 1967 with comparisons

Class	Ante-mortem condemnations				Post-mortem condemnations			
	Pounds (live weight): Percent 1/		Pounds (live weight): Percent 2/		Pounds (N.Y. dressed wt.): Percent 1/		Pounds (N.Y. dressed wt.): Percent 2/	
	June	1966	June	1967	June	1966	June	1967
	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
Young chickens	2,551	0.35	11,994	0.31	25,348	3.22	126,671	3.70
Mature chickens	378	.70	2,608	.84	2,331	3.95	10,863	4.16
Total chickens	2,929	.38	14,602	.35	27,679	3.27	137,534	3.73
Fryer-roasters	27	.19	104	.25	161	1.48	789	1.75
Young turkeys	148	.20	337	.20	1,790	1.70	3,146	1.92
Old turkeys	24	.18	55	.22	383	2.60	642	2.94
Total turkeys	199	.20	496	.21	2,334	1.79	4,577	2.02
Ducks	1	.01	3	.02	85	.99	263	1.15
Other poultry	1	.12	1	.18	5	.97	18	1.00
Total	3,130	.35	12,307	.33	30,103	3.08	142,392	3.48

1/ Pounds condemned as percent of pounds (live weight) inspected. Percentage based on unrounded data.  
 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Poultry: Inspected for canning and other processed foods, June 1967 with comparisons 1/

Class	Pounds used ready-to-cook weight				Pounds condemned ready-to-cook weight			
	May		June		May		June	
	1967	1966	1967	1966	1967	1966	1967	1966
	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
Young chickens	19,474	17,273	22,547	88,123	82	66	87	248
Further processed	104,351	102,150	100,732	532,801	---	---	---	---
Cut up								
Mature chickens	30,095	24,120	29,098	156,377	20	46	46	97
Further processed	757	330	571	4,608	---	---	---	---
Cut up								
Turkeys	23,813	25,731	26,670	143,788	36	13	21	61
Further processed	10,241	7,134	9,048	34,302	---	---	---	---
Cut up								
Other poultry 2/	7,956	4,799	6,174	28,898	9	2	19	17
Further processed	70	61	53	457	---	---	---	---
Cut up								
Total	81,338	71,923	84,489	417,166	147	127	173	423
Further processed	115,419	109,675	110,404	572,168	---	---	---	---
Cut up								

1/ All poultry inspected for canning and further processing and cut up and packaged in plants under Federal inspection.  
 2/ Poultry parts and fat used in further processing that cannot be identified by class are included in "other poultry."

Young chickens: Slaughtered under Federal Inspection, by regions and selected States, June 1966 and 1967

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations		
	1966	1967	1966	1967	1966	1967	1966	1967	1966	1967	
N. Atl.	15,840	14,453	1,000	1,000	3.86	3.88	1,000	1,000	1,000	1,000	
E. N. Cent.	2,563	2,461	61,113	56,117	3.81	3.81	44,067	40,612	1,984	2,033	
W. N. Cent.	3,927	4,177	13,641	14,344	3.47	3.43	7,185	6,838	125	146	
S. Atl.	89,197	91,488	314,638	324,578	3.52	3.55	223,830	231,948	10,070	12,887	
S. Cent.	91,602	101,227	303,189	341,882	3.31	3.38	217,560	245,754	7,880	9,406	
West	4,515	4,979	16,536	17,874	3.66	3.59	11,895	12,567	313	614	
U. S.	207,644	218,785	718,870	764,173	3.46	3.49	514,298	547,999	20,759	25,348	
Maine	6,626	6,785	25,580	26,160	3.86	3.86	18,621	19,464	764	795	
Pa.	8,291	6,808	32,058	26,642	3.87	3.91	23,042	18,795	1,124	1,162	
Ohio	121	27	443	108	3.66	3.92	317	74	6	8	
Ind. 3/	---	1,000	---	3,600	---	3.60	---	2,631	---	41	---
Mich. 4/	28	10	176	71	6.29	7.12	129	51	3	1	
Wis.	1,357	1,424	5,312	5,599	3.91	3.93	3,906	4,082	65	96	
Mo.	3,187	3,500	11,845	11,845	3.39	3.38	7,658	8,390	345	291	
Del.	8,492	8,400	32,744	31,993	3.86	3.81	23,151	22,645	1,251	1,367	
MD.	12,594	13,332	47,507	50,107	3.77	3.76	33,832	35,931	1,714	2,011	
Va.	4,535	4,734	14,022	14,773	3.09	3.12	9,697	10,149	401	480	
N. C.	23,743	22,876	83,869	81,802	3.53	3.58	58,615	58,857	2,595	2,744	
S. C.	2,411	2,552	8,265	8,718	3.43	3.42	5,834	6,170	373	354	
Ga.	35,944	37,593	123,537	130,424	3.44	3.47	89,421	93,273	3,651	5,736	
Ky. 3/	1,426	---	4,917	---	3.45	---	3,536	---	68	---	
Tenn.	6,214	5,994	21,151	20,821	3.40	3.47	15,134	14,828	572	797	
Ala.	23,953	25,160	81,900	86,616	3.42	3.44	59,244	62,684	2,026	2,309	
Miss.	14,835	15,210	49,294	50,496	3.32	3.32	35,800	37,310	1,157	995	
Ark.	28,834	33,058	91,330	108,667	3.17	3.29	64,461	76,865	2,638	3,382	
La.-Okla. 4/	4,850	6,401	16,336	21,941	3.37	3.43	11,922	15,590	459	669	
Texas	11,490	13,940	38,261	47,934	3.33	3.44	27,463	34,662	960	1,171	
Idaho 3/	491	---	1,756	---	3.58	---	1,259	---	38	---	
Wash.	985	1,147	3,698	4,214	3.75	3.67	2,677	2,989	44	100	
Calif.	2,586	2,744	9,437	9,938	3.65	3.62	6,742	6,932	205	373	

1/ Average weight based on unrounded data.  
 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.  
 3/ Data for only 1 year published in order to avoid disclosure of individual operations.  
 4/ Combined to avoid disclosure of individual operations.

Young chickens: Number condemned post-mortem by cause, by regions and selected States, June 1967

Region and State	Tuber- : culosis :	Leu- : kosis :	Septi- : cemia :	Airrac- : culitis :	Synovitis :	Tumors :	Bruises :	Cadaver :	Contam- : ination :	Over- : scald :	Other :	Total :
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	258,288	102,700	139,565	7,231	1,401	2,425	11,761	18,778	1,563	19,596	563,308
E. N. Cent.	---	7,744	12,174	9,805	1,126	344	1,256	1,569	3,983	636	700	39,337
W. N. Cent.	---	30,797	25,008	24,916	4,219	268	1,576	2,807	5,265	749	4,356	99,961
S. Atl.	71	1,631,149	523,347	1,069,356	66,096	8,066	30,241	80,228	199,482	14,982	98,908	3,721,926
S. Cent.	---	656,181	581,796	933,864	83,360	10,676	33,034	90,117	131,101	18,441	81,303	2,619,953
West.	---	67,168	30,381	74,045	3,992	347	1,254	2,813	5,180	2,073	18,629	205,882
U. S.	71	2,651,327	1,275,406	2,251,551	166,024	21,102	69,786	189,295	363,789	38,444	223,572	7,250,367
Maine	---	100,610	47,370	32,608	2,621	508	1,065	5,620	8,574	337	6,062	205,445
Pa.	---	150,577	49,908	102,746	4,257	634	1,128	5,579	8,358	1,143	11,406	338,736
Ohio	---	101	212	396	30	19	26	19	657	---	474	1,934
Ind.	---	2,945	3,134	1,868	901	70	420	463	890	218	4	10,913
Ill.-Mich. 1/	---	108	49	5	3	35	---	25	8	1	5	239
Wis.	---	4,590	8,779	7,536	192	220	810	1,062	2,428	417	217	26,251
Mo.	---	29,219	21,894	24,481	4,114	187	1,212	2,491	4,313	738	3,073	91,722
Del.	71	257,960	47,511	120,364	4,919	555	1,255	5,797	12,375	561	8,003	459,371
Md.	---	345,401	62,086	144,485	7,699	1,033	2,213	10,220	15,616	3,956	4,898	597,607
Va.	---	94,052	34,185	43,824	1,007	99	1,130	3,199	3,959	137	1,662	182,354
N. C.	---	215,867	199,361	263,733	16,827	1,859	8,755	21,090	46,671	3,761	23,217	761,141
S. C.	---	56,125	11,290	32,371	500	196	1,117	2,546	7,006	493	1,222	112,866
Ga.	---	642,811	199,894	451,570	34,285	4,196	15,401	36,534	113,681	6,007	58,459	1,562,838
Tenn.	---	34,069	25,634	111,963	8,187	256	1,437	3,546	10,176	546	13,790	209,604
Ala.	---	158,962	118,878	226,445	12,304	3,265	7,970	20,724	49,156	3,753	17,621	619,078
Miss.	---	62,167	27,587	87,320	5,128	1,224	5,468	11,620	13,699	4,129	12,970	231,332
Ark.	---	283,432	272,382	347,825	34,706	2,694	8,147	30,542	31,299	4,558	17,303	1,032,888
La.-Okla. 1/	---	52,426	57,138	49,701	6,353	601	2,090	5,912	9,520	1,893	4,950	190,584
Texas	---	63,094	74,973	101,034	15,710	2,330	6,768	16,894	14,817	2,686	14,323	312,629
Wash.	---	2,131	8,565	10,423	1,601	96	388	554	1,355	64	5,758	30,935
Calif.	---	49,098	16,080	37,578	2,069	160	443	1,539	2,442	1,760	6,959	118,128

1/ Combined to avoid disclosure of individual operations.

Mature chickens: Slaughtered under Federal Inspection, by regions and selected States, June 1966 and 1967

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations	
	1966	1967	1966	1967	1966	1967	1966	1967	1966	1967
	Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	Pounds	Percent
M. Atl.	1,510	1,785	7,268	8,728	4.81	4.89	4,741	5,742	183	2.81
E. N. Cent.	1,722	1,653	7,373	6,997	4.28	4.23	4,774	4,495	220	3.33
W. N. Cent.	2,291	3,349	10,278	14,630	4.49	4.37	6,561	9,463	415	4.52
S. Atl.	2,062	2,992	11,006	14,397	5.34	4.81	7,298	9,308	325	3.31
S. Cent.	2,357	2,260	11,169	11,158	4.74	4.94	7,556	7,468	431	4.33
West.	1,697	1,716	7,201	6,861	4.24	4.00	4,566	4,286	314	4.87
U. S.	11,639	13,755	54,295	62,771	4.66	4.56	35,496	40,762	1,919	3.95
Maine	292	375	1,806	2,293	6.18	6.11	1,265	1,643	42	2.60
N. J.	950	1,063	4,018	4,582	4.23	4.31	2,481	2,841	113	3.14
Pa.	137	137	829	771	6.05	5.62	567	515	18	2.52
Ohio	496	510	2,061	2,092	4.16	4.10	1,308	1,332	63	3.41
Ind.	569	626	2,489	2,673	4.37	4.27	1,637	1,736	72	3.19
Ill.	460	340	1,858	1,427	4.04	4.20	1,190	892	59	3.53
Mich.	---	---	---	---	---	---	---	---	---	---
Wis.	154	96	784	469	5.10	4.90	526	320	19	2.77
Minn.	1,197	1,464	4,814	5,884	4.82	4.82	3,030	3,723	229	5.33
Mo.	590	804	3,423	4,447	5.80	5.53	2,346	2,992	96	3.15
Del. 3/	---	40	---	299	---	7.48	---	209	8	---
Md.	617	718	2,608	2,947	4.23	4.11	1,746	1,934	68	2.93
Va.	102	137	623	900	6.09	6.55	429	634	14	2.50
N. C.	497	396	3,435	2,555	6.91	6.46	2,321	1,705	102	3.34
Ga.	614	869	3,278	4,343	5.34	5.00	2,146	2,825	107	3.65
Tenn. 3/	276	---	1,157	---	4.19	---	892	---	44	4.22
Ala.	73	51	560	404	7.69	7.94	401	283	26	5.32
Miss.	1,148	1,406	4,841	5,849	4.22	4.16	3,249	3,911	190	4.40
Ark.	171	272	1,240	2,007	7.24	7.39	853	1,345	44	3.96
La.-Okla. 4/	166	127	1,004	899	6.05	7.08	675	628	36	4.00
Texas	522	396	2,363	1,946	4.53	4.92	1,483	1,267	122	5.74
Idaho 3/	18	---	81	---	4.41	---	50	---	6	8.37
Wash. 3/	111	---	489	---	4.42	---	316	---	19	4.25
Calif.	1,450	1,416	6,159	5,649	4.25	3.99	3,889	3,513	272	4.93

1/ Average weight based on unrounded data.  
 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.  
 3/ Data for only 1 year published in order to avoid disclosure of individual operations.  
 4/ Combined to avoid disclosure of individual operations.

Mature chickens: Number condemned post-mortem by cause, by regions and selected States, June 1967

Region and State	Tuber- culosis	Leu- kosis	Sep- ticia	Air- sac-	Syno- vitis	Tumors	Bruises	Cadaver- inac-	Contam- ination	Over- scald	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	583	3,477	24,973	25	737	19,241	1,529	3,260	4,740	189	11,112	69,866
E. N. Cent.	981	4,193	19,988	159	84	23,973	2,379	1,477	4,639	546	6,237	64,656
W. N. Cent.	8,431	5,973	36,415	1,408	407	49,398	5,087	1,973	11,012	460	21,560	142,124
S. Atl.	32	5,830	36,540	529	1,180	22,009	3,197	4,132	10,671	399	12,968	97,487
S. Cent.	---	10,247	24,762	215	647	21,758	2,023	3,728	7,660	464	15,921	87,425
West	---	1,919	41,258	124	343	35,474	2,627	1,015	3,484	429	13,245	99,918
U. S.	10,027	31,639	183,936	2,460	3,398	171,853	16,842	15,585	42,206	2,487	81,043	561,476
Maine	532	982	5,086	11	349	1,268	130	415	784	7	126	9,690
N. J.	45	1,744	16,360	2	237	15,297	1,170	2,584	3,220	156	9,883	50,698
Pa.	---	289	2,090	7	4	1,487	106	79	518	---	574	5,154
Ohio	139	1,338	4,762	6	30	7,388	819	491	2,078	163	2,842	20,056
Ind.	391	1,119	8,679	3	35	9,403	1,177	539	896	337	1,131	23,710
Ill.	176	594	3,421	127	18	5,716	258	261	550	21	1,779	12,921
Wis.	271	1,008	1,809	17	1	533	69	162	494	7	42	4,413
Minn.	4,266	1,777	13,765	265	154	25,141	1,705	804	3,586	263	13,731	65,457
Mo.	644	1,504	14,275	193	122	4,833	1,667	1,018	1,411	126	958	26,751
Del.	---	184	446	37	14	72	11	39	103	5	89	1,000
Va.	32	1,282	10,959	13	139	6,536	720	2,064	1,844	37	186	23,812
N. C.	---	326	2,436	13	74	460	102	193	149	4	5	3,762
Ga.	---	795	4,763	170	424	1,579	424	229	1,446	86	799	10,715
Ala.	---	1,134	9,255	61	456	4,499	857	987	3,016	56	4,403	24,724
Miss.	---	186	1,527	17	16	182	28	21	887	---	86	2,950
Ark.	---	1,141	12,232	21	165	20,752	1,566	3,121	4,879	342	10,169	54,388
La.-Okla.	---	595	4,421	109	178	194	108	136	476	---	811	7,028
Texas	---	424	2,264	22	168	79	56	95	404	9	312	3,833
Calif.	---	7,870	4,213	46	117	506	263	352	911	113	4,522	18,913
	---	797	36,266	114	329	33,042	2,100	595	2,696	383	11,480	87,802

1/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Slaughtered under Federal Inspection, by regions and selected States, June 1966 and 1967

Region and State	Number inspected	Pounds		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations	
		1966	1967	1966	1967	1966	1967	1966	1967
		Thou.	1,000	Pounds	Pounds	pounds	pounds	pounds	Percent
M. Atl.	46	124	1,695	14.67	13.67	536	1,321	3	11
E. N. Cent.	260	359	6,551	17.00	18.25	3,537	5,272	67	82
W. N. Cent.	1,167	1,530	24,295	15.22	15.88	14,323	19,543	214	324
S. Atl.	540	870	15,469	17.56	17.78	7,475	12,236	150	343
S. Cent.	899	1,202	21,565	16.64	17.96	11,864	17,006	267	383
West.	1,345	1,879	34,296	18.61	18.25	20,127	27,597	404	647
U. S.	4,257	5,964	103,891	16.99	17.42	57,862	82,975	1,105	1,790
Pa.	40	114	1,552	14.09	13.65	449	1,215	2	11
Ohio	57	169	3,137	15.05	18.57	661	2,537	5	35
Ind. 4/	---	43	644	---	14.87	---	516	---	6
Ill.-Mich. 3/ 4/	9	7	139	19.56	19.96	141	111	2	2
Wis.	149	140	2,631	17.54	18.73	2,099	2,108	50	39
Minn.	518	699	11,333	14.77	16.21	6,167	9,127	86	129
Iowa	335	369	6,537	16.19	16.86	4,341	5,259	57	89
Mo.	284	420	6,058	14.79	14.42	3,423	4,887	66	94
Nebr. 4/	---	22	338	---	15.38	---	262	---	12
Va.	186	288	3,477	18.74	20.33	2,687	4,481	61	194
N. C.	311	571	5,447	17.51	16.82	4,353	7,569	80	149
Ark. 4/	182	---	2,745	15.05	---	2,211	---	43	---
Texas	561	462	8,946	17.53	19.36	7,741	7,080	194	171
Colo.	201	228	3,095	15.41	15.42	2,609	2,900	23	36
Utah 4/	83	196	1,535	18.49	17.24	1,226	2,693	14	38
Calif.	1,042	1,374	26,233	19.29	19.09	16,065	21,065	366	563

1/ Average weight based on unrounded data.  
 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.  
 3/ Combined to avoid disclosure of individual operations.  
 4/ Data for only 1 year published in order to avoid disclosure of individual operations.



Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States, June 1967

Region and State	Taber- culosis	Leu- kosis	Septi- cemia	Airrac- culitis	Synovitis	Tumors	Bruises	Cadaver	Contam- ination	Over- scald	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	181	287	64	8	5	13	17	99	---	8	682
E. N. Cent.	---	102	1,879	793	69	43	31	123	231	7	72	3,350
W. N. Cent.	---	96	8,337	5,598	409	79	344	517	1,089	138	329	16,936
S. Atl.	---	39	6,454	7,933	584	24	112	301	791	74	264	16,576
S. Cent.	---	268	11,185	4,697	1,475	97	182	423	1,011	35	945	20,318
West	---	103	16,114	8,949	2,809	386	327	976	1,234	298	638	31,834
U. S.	---	769	44,256	28,034	5,354	634	1,009	2,357	4,455	552	2,256	89,696
Pa.	---	165	268	64	6	3	13	16	95	---	7	637
Ohio	---	10	709	211	16	6	20	66	131	3	68	1,240
Ind.	---	18	168	97	35	---	2	7	18	4	1	350
Ill.-Mich. 1/	---	---	49	13	7	---	---	---	11	---	3	83
Wis.	---	74	953	472	11	37	9	50	71	---	---	1,677
Minn.	---	35	3,568	1,980	88	17	108	203	530	101	76	6,706
Iowa	---	1	2,188	1,335	25	37	104	112	196	19	196	4,233
Mo.	---	60	2,130	2,240	289	---	109	170	317	10	57	5,382
Nebr.	---	---	450	43	7	5	23	32	46	8	---	614
Va.	---	5	2,972	5,455	213	10	29	152	94	7	1	8,938
N. C.	---	34	3,436	2,394	370	13	83	148	693	67	262	7,500
Texas	---	63	3,282	2,827	1,049	86	60	223	214	6	708	8,518
Colo.	---	2	627	703	9	---	93	106	236	7	29	1,812
Utah	---	---	1,325	298	196	13	87	96	46	36	---	2,097
Calif.	---	99	13,727	7,910	2,576	373	126	737	913	186	609	27,256

1/ Combined to avoid disclosure of individual operations.

Fryer-roaster turkeys: Slaughtered under Federal Inspection, by regions and selected States, June 1966 and 1967

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations	
	1966	1967	1966	1967	1966	1967	1966	1967	1966	1967
N. Atl. 3/	8	3	68	31	8.54	8.94	51	24	---	---
E. N. Cent.	220	64	1,992	570	9.05	8.91	1,549	433	21	9
W. N. Cent.	623	365	5,560	3,450	8.92	9.45	4,390	2,731	80	45
S. Atl.	512	453	4,427	3,939	8.65	8.70	3,328	2,964	60	71
S. Cent.	27	56	228	467	8.44	8.34	177	347	3	16
West	252	221	2,099	1,809	8.33	8.19	1,622	1,394	27	20
U. S.	1,642	1,162	14,374	10,266	8.75	8.83	11,117	7,895	191	161
Ohio	28	0	263	0	9.30	0	204	0	2	0
Wis.	192	19	1,729	185	9.02	9.85	1,345	146	19	3
Minn.	575	340	5,266	3,240	9.16	9.53	4,160	2,563	80	42
Va.	477	453	4,118	3,939	8.64	8.70	3,088	2,964	58	71
Calif.	222	188	1,859	1,564	8.36	8.33	1,430	1,199	26	19

Fryer-roaster turkeys: Number condemned post-mortem by cause, by regions and selected States, June 1967

Region and State	Tuber- culosis		Leu- kosis		Septi- cemia		Airese- culitis		Synovitis		Fumors		Bruises		Cadaver : fixation		Contam- : Over-		Total	
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	12	6	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	18
E. N. Cent.	---	5	304	115	9	---	---	---	---	---	---	---	---	---	---	---	---	---	---	602
W. N. Cent.	---	3	2,421	588	10	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4,218
S. Atl.	---	4	3,035	4,164	221	---	---	---	---	---	---	---	---	---	---	---	---	---	---	7,980
S. Cent.	---	17	931	105	5	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1,618
West	---	3	1,373	77	131	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1,981
U. S.	---	44	8,070	5,049	376	---	---	---	---	---	---	---	---	---	---	---	---	---	---	16,417
Wis.	---	2	179	16	4	---	---	---	---	---	---	---	---	---	---	---	---	---	---	242
Minn.	---	3	2,332	556	10	---	---	---	---	---	---	---	---	---	---	---	---	---	---	3,960
Va.	---	4	3,035	4,164	221	---	---	---	---	---	---	---	---	---	---	---	---	---	---	7,960
Calif.	---	3	1,217	59	35	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1,671

1/ Average weight based on unrounded data.  
 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.  
 3/ Dashes mean less than 500 head or 500 pounds.

Old turkeys (breeders): Slaughtered under Federal Inspection, by regions and selected States, June 1966 and 1967

Region and State	Number inspected		Founds inspected		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations (NYD)		Percent 2/	
	1966	1967	1966	1967	1966	1967	1966	1967	1966	1967	1966	1967
N. Atl. 3/	7	2	1,000	1,000	20.67	21.19	1,000	1,000	1,000	1,000	0.90	0.75
E. N. Cent.	107	94	139	144	19.08	19.71	1,640	1,452	42	33	2.29	1.98
W. N. Cent.	282	171	5,663	3,367	20.08	19.69	4,473	2,667	120	98	2.36	3.25
S. Atl.	53	62	1,050	1,180	19.81	19.03	834	934	26	33	2.76	3.11
S. Cent.	45	173	891	3,347	19.80	19.35	714	2,710	12	81	1.50	2.36
West.	170	233	3,394	4,709	19.96	20.21	2,701	3,687	107	138	3.51	3.26
U. S.	664	735	13,179	14,500	19.85	19.73	10,473	11,481	308	383	2.60	2.94
Ohio 4/	53	---	945	---	17.84	---	763	---	16	---	1.96	---
Minn.	139	129	2,763	2,477	19.83	19.17	2,186	1,962	55	80	2.24	3.61
Iowa 4/	26	---	535	---	20.22	---	419	---	13	---	2.79	---
Texas 4/	---	133	---	2,534	---	19.06	---	2,047	---	56	---	2.47
Calif.	65	107	1,265	2,038	19.52	19.00	1,008	1,566	43	71	3.75	3.86

Old turkeys (breeders): Number condemned post-mortem by cause, by regions and selected States, June 1967

Region and State	Tuberculosis		Leucosis		Septicemia		Airsacculitis		Synovitis		Tumors		Bruises		Cadaver		Contamination		Over-inflation		Other		Total	
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	1	4	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
E. N. Cent.	---	45	505	500	5	22	28	46	3	47	3	---	---	---	---	---	---	---	---	---	---	---	---	---
W. N. Cent.	---	39	1,774	1,252	31	40	60	69	340	83	30	30	30	30	30	30	30	30	30	30	30	30	30	30
S. Atl.	---	10	768	350	31	38	9	15	75	1	121	1	121	1	121	1	121	1	121	1	121	1	121	1
S. Cent.	---	11	1,052	840	12	96	14	73	243	26	963	26	963	26	963	26	963	26	963	26	963	26	963	26
West.	---	110	4,863	189	49	280	189	114	562	3	73	3	73	3	73	3	73	3	73	3	73	3	73	3
U. S.	---	216	8,966	3,131	128	478	301	317	1,270	113	1,223	113	1,223	113	1,223	113	1,223	113	1,223	113	1,223	113	1,223	113
Minn.	---	33	1,431	1,136	30	36	53	49	315	81	26	81	26	81	26	81	26	81	26	81	26	81	26	81
Texas	---	10	892	625	10	77	5	45	117	14	731	14	731	14	731	14	731	14	731	14	731	14	731	14
Calif.	---	6	2,727	80	7	264	12	40	325	1	73	1	73	1	73	1	73	1	73	1	73	1	73	1

1/ Average weight based on unrounded data.  
 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.  
 3/ Dashes mean less than 500 pounds.  
 4/ Data for only 1 year published in order to avoid disclosure of individual operations.

UNITED STATES DEPARTMENT OF AGRICULTURE  
STATISTICAL REPORTING SERVICE  
WASHINGTON, D. C. 20250

POSTAGE AND FEES PAID  
U. S. DEPARTMENT OF AGRICULTURE

OFFICIAL BUSINESS

Definitions

- Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.
- Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.
- Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.
- Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.
- Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.
- Ducks - Includes all ducks regardless of age and weight.
- Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

\* \* \* \*

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Consumer and Marketing Service.